

How to use the “Goddard” Beamer theme?

Mohamed Elmorabity

Introduction

How to install it?

Download

Installation

How to use it?

Options

Some tricks...

How to use the “Goddard” Beamer theme?

Version 0.1

Mohamed Elmorabity

May 26, 2010

1/12

Plan

- 1 Introduction
- 2 How to install it?
 - Download
 - Installation
- 3 How to use it?
 - Options
 - Some tricks...

Introduction

Introduction

How to install it?

Download
Installation

How to use it?

Options
Some tricks...

beamer-goddard is a \LaTeX Beamer theme inspired by the Goddard Fedora 13 theme¹ and the Anaconda GUI layout².

Comments, suggestions or bug reports ?

Please send a mail at:

`melmorabity@fedoraproject.org`

¹http://fedoraproject.org/wiki/F13_Artwork

²<http://fedoraproject.org/wiki/Anaconda>

Download

The theme is available as a `.tar.bz2` or a `.zip` archive file at

- `http://melmorabity.fedorapeople.org/beamer/beamer-goddard/beamer-goddard-0.1.tar.bz2`
- `http://melmorabity.fedorapeople.org/beamer/beamer-goddard/beamer-goddard-0.1.zip`

Installation

Introduction

How to install it?

Download

Installation

How to use it?

Options

Some tricks...

Once the archive downloaded and extracted, copy
`texmf` stuff:

Windows in `C:\texmf\` with MikTeX or T_EXLive

Unix with T_EXLive:

- in `~/texmf`, for a single user
- in `/usr/share/local/texmf/`,
for all users

Installation

Introduction

How to install it?

Download

Installation

How to use it?

Options

Some tricks...

Don't forget to update your `ls-R` database!

MikTeX launch the MikTeX options toolbox

TeXLive Windows launch `texhash` in a DOS shell

Unix launch `texhash` (as root in the theme was installed for all users)

How to use it?

Just call the theme using `\usetheme{Goddard}` in your preamble

A sample \LaTeX preamble

```
\documentclass{beamer}

\usepackage[american]{babel}
\usepackage[T1]{fontenc}
\usepackage[utf8]{inputenc}
\usepackage{lmodern}

\usetheme{Goddard}
```

How to use it?

Options

language=<language> to change the labels
language in the buttons of the progress
bar.

Available languages are english,
french, german, italian,
portuguese, spanish.

oldstylearrows to use old-style arrows in buttons:



default



old-style

Example

```
% Labels in French, old-style arrows  
\usetheme [language=french,oldstylearrows] %  
{Goddard}
```


How to use it?

Some tricks...

Alternating table row colors

Release	Name	Release	Name
Fedora 14	Laughlin	Fedora Core 7	Moonshine
Fedora 13	Goddard	Fedora Core 6	Zod
Fedora 12	Constantine	Fedora Core 5	Bordeaux
Fedora 11	Leonidas	Fedora Core 4	Stentz
Fedora 10	Cambridge	Fedora Core 3	Heidelberg
Fedora 9	Sulphur	Fedora Core 2	Tettnang
Fedora 8	Werewolf	Fedora Core 1	Yarrow

How to use it?

Some tricks...

Alternating table row colors

- 1 Add the `[xcolor=table]` option to `\documentclass{beamer}`
- 2 Add the following line to your preamble:

```
\rowcolors{1}{goddardblue!50}{%  
  {goddardblue!30}}
```

How to use it?

Some tricks...

Syntactic coloration in `lstlisting` environments

```
#include <stdlib.h>
#include <stdio.h>

/* A comment */
int main (int argc, char* argv [])
{
    printf ("Hello_world!");

    return EXIT_SUCCESS;
}
```

How to use it?

Some tricks...

Syntactic coloration in `lstlisting` environments

Add the following lines to your preamble:

```
\lstset{%  
  basicstyle=\ttfamily,%  
  keywordstyle=\color{goddardblue}%  
  \bfseries,%  
  commentstyle=\color{goddardblue!75}%  
  \itshape,%  
  columns=flexible%  
}
```